
SEL-2726U

EIGHT-PORT ETHERNET SWITCH







ETHERNET CONNECTIVITY FOR DEMANDING WORK AREAS

With experience in the design and manufacturing of Ethernet switches for the electric utility industry, SEL has developed a commercial-grade Ethernet switch. The SEL-2726U Eight-Port Ethernet Switch is the dependable choice in Ethernet connectivity, whether it's used in testing stations, laboratories, research and development, manufacturing, or other exacting work areas. Designed for durable and reliable operation, the SEL-2726U is ready for years of daily use in demanding environments.

DURABLE

Withstands punishment in high-use environments due to a rugged design. Built with high-quality components, the switch is enclosed in a tough aluminum chassis for thermal conductivity.


SIMPLE

Easily install the unmanaged switch, which requires no software. The ports configure themselves for speed and duplex.

RELIABLE

Depend on reliability from SEL. Compare SEL's ten-year, no-questions-asked, worldwide warranty and highly rated technical support to alternatives.

OPERATING TEMPERATURES



+104°F

+32°F

GENERAL SPECIFICATIONS

Ethernet Ports	Data Rate
10/100BASE-T	Connector
	Compatible Cable
	Interface
	Max. Cable Distance
	Autoconfiguration
Power Supply	
	Voltage
	Power Consumption
Operating	Operating Temperature
Conditions	Storage Temperature
	Humidity
Certifications	Electromagnetic Compatibility

10 or 100 Mbps Metal RJ45 female Category 5e twisted-pair 10/100BASE-T 100 m (328 ft) Crossover cable, speed, and half- or full-duplex operation

5 V

<7.5 W 0° to +40°C (+32° to +104°F) -40° to +85°C (-40° to +185°F) 0 to 95% noncondensing FCC Class A



MAKING ELECTRIC POWER SAFER, MORE RELIABLE, AND MORE ECONOMICAL

SCHWEITZER ENGINEERING LABORATORIES, INC.

Tel: +1.509.332.1890 Email: info@selinc.com Web: www.selinc.com

